

Débroussailleuse


ROBIN

BH 2500 AU

JAQUET SA . ch
Jardin Forêt
1086 VUCHERENS

Tél. 021/ 903.21.54


Fax 021/ 903.29.50



Jardin Forêt
1086 VUCHERENS
Tél. 021 / 903.21.54

Machine BH 2500 AU Fig. 1

[illegible]



JAQUET SA . Ch

Jardin Forêt


1086 VUCHERENS

Tél. 021 / 903.21.54

Fax. 021 / 903.29.50

Levier de gaz BH 2500 AU Fig. 2

[illegible]




Moteur BH 2500 AU Fig. 3

No.	No.Art.	Designation	Quant.
1	5921005001	Cylindre et carter moteur cpl .	1
4	5921501200	Bille	2
5	5921500502	Carter latéral	1
6	5921004000	Cache soupape	1
7	5921500700	Joint de carter latéral	1
8	5921500800	Joint de cache soupape	1
10	5921501000	Lame de reniflar	1
11	5921501100	Reniflar	1
12	0118049980	Vis M 4 x 10	1
13	0043605160	Vis M 5 x 16	3
14	0119059510	Vis M 5 x 14	6
15	0119059500	Vis M 3 x 30	2
16	0043605140	Vis M 5 x 14	3
17	6241500203	Carter d'embrayage	1
18	0043605160	Vis M 5 x 16	3
19	5926500000	Carter d'huile	1
20	5926500100	Joint du carter d'huile	1
21	5926500200-1	Tuyau d'huile	1
22	5926500300	Crépine d'huile	1
23	5926500600	Jauge d'huile	1
24	0213160020	Joint de jauge	1
25	0043605180	Vis M 5 x 18	4
26	0650109950	Bougie BPMR 6 A	1
27	5923503800	Rondelle nylon	1
29	6242003000	Cloche d'embrayage cpl.	1
30	0031432000	Circlip	1
31	0600129950	Roulement 6201DD	1
32	0031512000	Circlip	1
33	6241500300	Rondelle	1
36	6241500401	Amortisseur de support de canne 1	1
37	6241500501	Amortisseur de support de canne 2	1
38	6241500600	Support de canne 1	1
39	6241500700	Support de canne 2	1
40	0119059900	Vis M 5 x 12	1
41	0119059950	Vis M 5 x 18	2
43	5219002000	Pied cpl. Incl. 44	1
44	0140059480	Vis M 5 x 14	2
51	5922003000	Vilbrequin	1
53	0440129960	Simmer TC 12286	1
54	0440109970	Simmer TC 10205	1
55	5421500500	Clip	1
57	5922500900	Piston	1
58	5922004000	Kit segment	1
61	0565089970	Clip	2
62	5232502600	Axe de piston	1
71	5921501400	Douille de levier de soupape	2
72	5923500001-1	Levier de soupape	2
73	5923007000	Pignon d'engrenage	1
74	5923500501	Axe 5 x 21.8	1

Jardin Forêt
1086 VUCHERENS
Tél. 021 / 903.21.54

Moteur BH 2500 AU Fig. 3 p.2

[illegible]



Carburateur et filtre à air BH 2500 AU Fig. 4


No.	No.Art.	Designation	Quant.
1	5926002001	Carburateur cpl. 2 à 19	1
2	5926002060	Corps de pompe	1
3	5236046140	Plaque intermédiaire	1
4	5236046050	Couvercle de fermeture	1
5	5246001150	Pompe	1
6	5316005250	Membrane de commande	1
7	5236046040	Joint de commande	1
8	5246001040	membrane de pompe	1
9	5926002040	Joint de pompe	1
10	5926002110	Gicleur	1
11	5246001010	O-ring	1
12	5316005120	Circlip	1
13	5236018040	Vis tendeur câble	1
14	5926002010	Boisseau	1
15	5206008030	Vis	2
16	5206008110	Fermeture	1
17	5236046010	Vis de couvercle de fermeture	4
18	5926002020	Ressort	1
19	5426005030	Rondelle	1
21	5016004010	Filtre	1
29	5923005000	Bride d'admission	1
30	0170059980	Ecrou M 5	2
31	0022706000	Ecrou M 6	2
33	5923501801	Joint de bride d'admission	1
34	5923501900	Joint de carburateur	1
35	5923502000	Tôle de protection	1
36	0043605180	Vis M 5 x 18	2
37	0149069970	Vis M 6 x 16	1
38	5246004150	Capuchon	1
40	5259500300	Capuchon	1
51	5921500900	Tuyau diam. 8 x 4 x 15	1
52	5923004001	Support de filtre incl. 53 à 63	1
53	5923006000	Support de filtre	1
54	5316500701	Soupape	1
55	5923502400	Soupape	1
56	5923502500	Soupape	1
57	5923503300	Reniflar	1
58	5923502200	Levier de chocke	1
60	5923503200	Elément filtre	1
62	0240139970	O - ring	1
63	0240159990	O - ring	1
64	5923502300	Chocke	1
65	5923502600	Plaque support	1
66	0213069990	Joint	1
67	5923502700	Couvercle de filtre à air	1
68	5923503001	Tuyau	1
69	0140059480	Vis M 5 x 14	1
71	5923503100	Vis M 5 x 68	2
72	0561080010	Bride	1

Jardin Forêt
1086 VUCHERENS
Tél. 021 / 903.21.54

Carburateur et filtre à air BH 2500 AU Fig. 4 P. 2

Designation


[illegible]



Jardin Forêt
1086 VUCHERENS
Tél. 021 / 903.21.54

Starter et rés. BH 2500 AU Fig. 5

[illegible]




JAQUET SA . Ch

Jardin Forêt
1086 VUCHERENS
Tél. 021 / 903.21.54

Fax. 021 / 903.29.50

Volant BH 2500 AU Fig.6

[illegible]



Designation

Quant.

[illegible]